## Psychobiologisches Kolloquium Prof. Dr. Markus Heinrichs



Prof. Dr. Richard Ebstein (National University of Singapore)

The emerging molecular genetic architecture of human social life

Donnerstag 09.06.2011, 18 c.t. - 20 Uhr

Konferenzraum - Lehrstuhl für Biologische und Differentielle Psychologie, Stefan-Meier-Str. 8, 3. OG

## 

nonapeptides, oxytocin (OT) and vasopressin (AVP), in fine-tuning the contours of the social neuroscience towards unraveling the complexity of the human social brain. molecular genetic approach combined with a classic behavioral economic paradigm the Dictator an incentivized design viz. 'put your money where your mouth is', to test individual differences talk we will discuss some recent experiments employing behavioral economic paradigms that use is correlated with subjects' social skills and IQ. Finally, we have demonstrated that reduced associated with ASD. Intriguingly, we have shown reduced expression of CD38 in also been linked to ASD. More recently, CD38 - a mediator of brain OT release, has been in social skills and communication, but also on normal behaviors. Specifically, a number of transmission including the polymorphic receptor genes (OXTR and AVPR1a), neurophysin I and Much of what is known about the genetics of human social life converges on the role of two of psychopathologies. A genetic approach is proving itself as a key component in the toolbox of human social cognition and that dysfunctions in these pathways likely contribute to a spectrum more recent human studies suggest that OT and AVP neurotransmission are salient elements in early childhood using a modified version of the DG adapted for 4 year olds. Altogether, these game (DG) to examine social decision-making. We have recently extended this first study to in prosocial and altruistic behaviors. Our own group carried out the first such study, using a acid (ATRA) suggesting a novel therapeutic window in this disorder. In the second half of the transcription of CD38 in ASD-derived LBCs can be 'rescued' by treatment with all-trans retinoic lymphoblastoid cells (LBC) derived from ASD subjects. Furthermore, CD38 expression in LBCs (AVPR Ia) promoter-region repeats regions and ASD. The oxytocin receptor (OXTR) gene has investigations have shown association between the arginine vasopressin 1a receptor gene clinical syndromes, especially autism spectrum disorders (ASD) that are characterized by deficits OT release. Molecular genetic studies of these synaptic elements have focused not only on brain from voles to humans. The talk today will discuss the genetics of OT and AVP synaptic II, oxytocinase and a new signaling molecule (CD38/ ADP-ribosyl cyclase) that mediates brain

## **Brief BIOSKECH**

## Professor Richard P. Ebstein

(Jerusalem) and for the past year is a Professor in the Psychology Department at the National Center. He is a Professor Emeritus in the Psychology Department at the Hebrew University and his post-doctoral training in Neurochemistry with Prof. Menek Goldstein at NYU Medical Prof. Richard Ebstein received his MS and PhD degrees in the United States at Yale University and social decision making. He has published ~260 peer reviewed articles (PubMed) Neuroeconomics. Ebstein has made substantial contributions to the molecular genetics of human neuroscientists and molecular geneticists investigating core issues in the nascent field of (Economics) are jointly heading a group of researchers including economists, psychologists, University of Singapore. In Singapore, Prof. Ebstein along with Prof. CHEW Soo Hong personality and is a pioneer in applying neurogenetic strategies towards understanding individual